

S23 2	45	cam-y near2 truong	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:31
S23 3	2	camy near2 truong	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:30
S23 4	84	cam near2 truong	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:31
S23 5	1	(suggested near2 media with items)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:36
S23 6	65	(displayed near2 media with items)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:36
S23 7	0	(displayed near2 media with items) and (rank\$ same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:36
S23 8	0	(displayed near2 media with items) and (rank\$ same items)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:36
S23 9	3	(displayed near2 media with items) and (rank\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:36
S24 0	0	S224 and ((displaying same high feature) same (store same database)) and (truong)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:37

S24 1	4	S228 and (((sort\$ or rank\$) same result) same store) and truong	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:24
S24 2	551	vora.in.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:38
S24 3	4	vora.in. and 707/10	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:32
S24 4	0	"5819273".pn. and analy\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:42
S24 5	0	"5819273".pn. and analyze	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:42
S24 6	0	"5819273".pn. and parse	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:42
S24 7	1	"5819273".pn. and request	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:45
S24 8	414	analyzing with (user near2 input)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:46
S24 9	0	S248 and ((media near2 files) same source)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:46
S25 0	1	S248 and ((media near2 file) same source)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:47

S25 1	88	search and ((media near2 file) same source)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:47
S25 2	70	S251 and (user near2 (input or request or query))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:47
S25 3	53	S251 and (user near2 (input or request or query)) and searching	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:48
S25 4	38	S251 and (user near2 (input or request or query)) and searching and (analyzing or parsing)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:49
S25 5	16	redefined with query	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:57
S25 6	0	"5873076".pn. and keyword	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:57
S25 7	2	"5873076".pn. and query	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:00
S25 8	0	"5873076".pn. and lexical	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:10
S25 9	0	"6480845".pn. and (lexical same syntactical)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:10
S26 0	0	"6480845".pn. and (lexical)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:10

S26 1	56	((input or query)) same (lexical) same syntactical\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:18
S26 2	39	((input or query)) same (lexical) same syntactical\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:46
S26 3	1	"6480843".pn. and lexical	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:55
S26 4	2	"5682539".pn. and (sentence with pattern)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:56
S26 5	2	"5682539".pn. and ((user near2 input) same (sentence with pattern))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:58
S26 6	16	((user near2 input) same (sentence with pattern))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 18:08
S26 7	17	(user near2 (input or query)) same (pattern with searching)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 18:10
S26 8	1	(user with query) same (patterns with searching)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 18:11
S26 9	972	(patterns with searching)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 18:11
S27 0	2	(patterns with searching) same (user near2 request)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:11

S18 3	2	"5956737".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:11
S18 4	3	09/998092	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:18
S18 5	2	"6766320".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 11:59
S18 6	0	"6766320".pn. and source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 11:59
S18 7	0	"6766320".pn. and lexical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:06
S18 8	0	"6766320".pn. and pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:06
S18 9	8690	707/3 or 707/5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:06
S19 0	48	S189 and (search same (media near2 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:08

S19 1	0	S190 and (lexical near2 features)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:07
S19 2	3	S190 and (lexical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:07
S19 3	0	S190 and (lexical) and syntactical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:07
S19 4	5	S190 and (query same pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:08
S19 5	0	S190 and (query same pattern) and source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:08
S19 6	0	S190 and (query same pattern) and source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:08
S19 7	35	((search same (media near2 file)) same source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:14
S19 8	5	S197 and pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:09



S19 9	0	S197 and pattern and syntactical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:09
S20 0	5	S197 and pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:09
S20 1	5	S197 and pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:09
S20 2	29	((search same (media near2 files)) same source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:09
S20 3	32	((search\$3 same (media near2 files)) same source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:09
S20 4	0	((search\$3 same (media near2 files)) same source) and rank	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:10
S20 5	3	((search\$3 same (media near2 files)) same source) and sort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:10
S20 6	371	((search\$3 same (media near2 files)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:10

S20 7	49	((search\$3 same (media near2 files))) and source and patterns	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:10
S20 8	16	((search\$3 same (media near2 files))) and source and patterns and sort	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:11
S20 9	7475	707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:14
S21 0	0	S209 and ((user near2 (input or query)) same (lexical near2 features))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:15
S21 1	1	((user near2 (input or query)) same (lexical near2 features))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:22
S21 2	155	(user near2 (input or query)) same (lexical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:15
S21 3	0	(user near2 (input or query)) same (lexical) same yntactical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:15
S21 4	155	(user near2 (input or query)) same (lexical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:15



S21 5	5	(user near2 (input or query)) same (lexical) same syntactical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:17
S21 6	44	((input or query)) same (lexical) same syntactical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:18
S21 7	34	(user near2 (input or query)) same (sentence with pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:35
S21 8	9	S217 and (media or multimedia)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:23
S21 9	2	S217 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:25
S22 0	4	(user near2 input) same (sentence near2 patterns)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:27
S22 1	0	(user near2 query) same (sentence near2 patterns)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:26
S22 2	3	(user near2 query) same (sentence near2 pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:26

S22 3	13	(user near2 input) same (sentence near2 pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:47
S22 4	12782	user near2 interest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:47
S22 5	5411	S224 and (displaying same high feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:48
S22 6	109	S224 and ((displaying same high feature) same (store same database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:48
S22 7	47	S224 and ((displaying same high feature) same (store same database))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:37
S22 8	3453	707/5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:50
S22 9	603	S228 and ((sort\$ or rank\$) same result)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:51
S23 0	2	S228 and (((sort\$ or rank\$) same result) same store same display)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:51
S23 1	44	S228 and (((sort\$ or rank\$) same result) same store)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 13:37